

Lutz Pump Sets

7 Pump Set „Solvents”



Motor MD-2
The compact compressed air motor is powerful and reliable.



For easily flammable hydrocarbons

such as ethanol, gasoline, butanol, iso-propanol, kerosene, methanol and petroleum.

- **Motor ME II 3**, 460 W or optionally with
- **Compressed air motor MD-2**, 400 Watt / 6 bar

Explosion proof according to ATEX Directive 94/9/EC, category 2.



For emptying drums and containers				Pump* with ME II 3	Pump* with MD-2	Set with ME II 3	Set with MD-2
	Imm. depth	1000 mm	Order No.	0205-405	0205-425	0205-401	0205-421
	Imm. depth	1200 mm	Order No.	0205-406	0205-426	0205-402	0205-422

Pump Set: **Motor ME II 3 or MD-2**, **pump tube SS 41-L-SL** stainless steel, **2,5 m** solvent hose 1", electrically conductive bound with hose connectors brass, nozzle brass, equipotential bonding cable, drum adapter PP (without Ex-plug)

*Motor, Pump Tube SS, Equipotential bonding cable

More time for the essential things

8 Pump Set „Hazardous Fluids“

Motor ME II 3

The **explosion proof** universal motor ME II 3 is ideally suitable for transferring of many thin-bodied, easily flammable and combustible liquids.

For hazardous fluids

such as acetone, conc. formic acid, ethyl acetate, butyl acetate, conc. acetic acid, nicotine, methyl benzene (toluol) and styrol.

- **Motor ME II 3**, 460 W or optionally with
- **Compressed air motor MD-2**, 400 Watt / 6 bar

Explosion proof according to ATEX Directive 94/9/EC, category 2.

Pump Ex-Set

with motor ME II 3 or MD-2



Motor MD-2

The compact compressed air motor is powerful and reliable.



Ex-plug

Can be optionally supplied with Ex-plug completely assembled.



For emptying drums and containers



Imm. depth 1000 mm

Order No.

Pump*
with ME II 3

0205-405

Pump*
with MD-2

0205-425

Set
with ME II 3

0205-411

Set
with MD-2

0205-441



Imm. depth 1200 mm

Order No.

0205-406

0205-426

0205-412

0205-442

Pump Set: **Motor ME II 3 or MD-2**, pump tube SS 41-L-SL stainless steel, 2,5 m universal chemical hose 1", electrically conductive bound with hose connectors stainless steel, nozzle stain-less steel 1.4571, equipotential bonding cable, drum adapter PP (without Ex-plug)

*Motor, Pump Tube SS, Equipotential bonding cable

01

Lutz Pump Sets

9 Pump Set „Solvents“ for complete drum drainage

Motor ME II 3

The **explosion proof** universal motor ME II 3 is ideally suitable for transferring of many thin-bodied, easily flammable and combustible liquids.

For easily flammable hydrocarbons

such as ethanol, gasoline, butanol, iso-propanol, kerosene, methanol and petroleum.

- **Motor ME II 3**, 460 W or optionally with
- **Compressed air motor MD-2**, 400 Watt / 6 bar

Explosion proof according to ATEX Directive 94/9/EC, category 2.

Pump Set Solvents

with motor ME II 3 or MD-2



Motor MD-2

The compact compressed air motor is powerful and reliable.



Complete drainage

Residual quantity < 0.10 litres

For complete drainage of drums and containers			Pump* with ME II 3	Pump* with MD-2	Set with ME II 3	Set with MD-2
	Imm. depth 1000 mm	Order No.	0205-505	0205-525	0205-501	0205-521
	Imm. depth 1200 mm	Order No.	0205-506	0205-526	0205-502	0205-522

*Motor, Pump Tube RE-SS, Equipotential bonding cable

Pump Set: Motor ME II 3 or MD-2, **pump tube RE-SS 41-L-MS** stainless steel, **2,5 m** solvent hose 1", electrically conductive bound with hose connectors brass, nozzle brass, equipotential bonding cable, drum adapter PP (without Ex-plug)

More time for the essential things

10 Pump Set „Hazardous Fluids“ for complete drum drainage

Motor ME II 3

The **explosion proof** universal motor ME II 3 is ideally suitable for transferring of many thin-bodied, easily flammable and combustible liquids.

For hazardous fluids

such as acetone, conc. formic acid, ethyl acetate, butyl acetate, conc. acetic acid, nicotine, methyl benzene (toluol) and styrol.

- **Motor ME II 3**, 460 W or optionally with
- **Compressed air motor MD-2**, 400 Watt / 6 bar

Explosion proof according to ATEX Directive 94/9/EC, category 2.

Pump Ex-Set

with motor ME II 3 or MD-2



Motor MD-2

The compact compressed air motor is powerful and reliable.



Ex-plug

Can be optionally supplied with Ex-plug completely assembled.



01

For emptying drums and containers



Imm. depth 1000 mm

Order No.

Pump*
with ME II 3

Pump*
with MD-2

Set
with ME II 3

Set
with MD-2

0205-505

0205-525

0205-511

0205-531



Imm. depth 1200 mm

Order No.

0205-506

0205-526

0205-512

0205-532

Pump Set: **Motor ME II 3 or MD-2**, pump tube **RE-SS 41-L-MS** stainless steel, **2,5 m** universal chemical hose 1", electrically conductive bound with hose connectors stainless steel, nozzle stainless steel (1.4571), equipotential bonding cable, drum adapter PP (without Ex-plug)

*Motor, Pump Tube RE-SS, Equipotential bonding cable